

CALCULATED DATA				
MICRON	FILTER ELEMENT DATA FOR A DASH 4 (.250" TUBE OD)		FILTER ELEMENT DATA FOR A DASH 5 (.312" TUBE OD)	
	EFFECTIVE FILTRATION AREA	MIN. COLLAPSE PRESSURE	EFFECTIVE FILTRATION AREA	MIN. COLLAPSE PRESSURE
02	0.49 SQ IN.	500 PSID	0.61 SQ IN.	500 PSID
05	0.49 SQ IN.	720 PSID	0.62 SQ IN.	500 PSID
10	0.49 SQ IN.	720 PSID	0.62 SQ IN.	500 PSID
17	0.50 SQ IN.	790 PSID	0.62 SQ IN.	500 PSID
40	0.50 SQ IN.	950 PSID	0.62 SQ IN.	655 PSID
70	0.50 SQ IN.	950 PSID	0.62 SQ IN.	655 PSID
105	0.50 SQ IN.	950 PSID	0.62 SQ IN.	655 PSID
145	0.51 SQ IN.	1075 PSID	0.63 SQ IN.	765 PSID
250*	0.51 SQ IN.	500 PSID	0.63 SQ IN.	500 PSID

CALCULATED DATA				
MICRON	FILTER ELEMENT DATA FOR A DASH 6 (.375" TUBE OD)		FILTER ELEMENT DATA FOR A DASH 8 (.500" TUBE OD)	
	EFFECTIVE FILTRATION AREA	MIN. COLLAPSE PRESSURE	EFFECTIVE FILTRATION AREA	MIN. COLLAPSE PRESSURE
02	0.73 SQ IN.	500 PSID	1.10 SQ IN.	470 PSID
05	0.74 SQ IN.	500 PSID	1.11 SQ IN.	500 PSID
10	0.74 SQ IN.	500 PSID	1.11 SQ IN.	500 PSID
17	0.74 SQ IN.	500 PSID	1.11 SQ IN.	500 PSID
40	0.75 SQ IN.	500 PSID	1.12 SQ IN.	500 PSID
70	0.75 SQ IN.	500 PSID	1.12 SQ IN.	500 PSID
105	0.75 SQ IN.	500 PSID	1.12 SQ IN.	500 PSID
145	0.75 SQ IN.	635 PSID	1.12 SQ IN.	500 PSID
250*	0.75 SQ IN.	445 PSID	1.13 SQ IN.	200 PSID

CALCULATED DATA				
MICRON	FILTER ELEMENT DATA FOR A DASH 10 (.625" TUBE OD)		FILTER ELEMENT DATA FOR A DASH 12 (.750" TUBE OD)	
	EFFECTIVE FILTRATION AREA	MIN. COLLAPSE PRESSURE	EFFECTIVE FILTRATION AREA	MIN. COLLAPSE PRESSURE
02	1.67 SQ IN.	210 PSID	2.26 SQ IN.	145 PSID
05	1.68 SQ IN.	375 PSID	2.27 SQ IN.	260 PSID
10	1.68 SQ IN.	375 PSID	2.27 SQ IN.	260 PSID
17	1.68 SQ IN.	445 PSID	2.28 SQ IN.	310 PSID
40	1.69 SQ IN.	500 PSID	2.28 SQ IN.	425 PSID
70	1.69 SQ IN.	500 PSID	2.28 SQ IN.	425 PSID
105	1.69 SQ IN.	500 PSID	2.28 SQ IN.	425 PSID
145	1.70 SQ IN.	500 PSID	2.29 SQ IN.	500 PSID
250*	1.70 SQ IN.	90 PSID	2.30 SQ IN.	65 PSID